

DF-3734]

DF-3734

Second Year B. C. A. (Sem. III) Examination March / April - 2016 Object Oriented Programming

(New & Old Course)

		-
Time: 3	Hours] [Total Marks :	70
Instructions:		
(1)		
નીચે દર્શાવેલ 🕳 નિશાનીવાળી વિગતો ઉત્તરવહી પર અવશ્ય લખવી. Seat No.		
Fillup strictly the details of 👉 signs on your answer book.		
Name of the Examination : SECOND YEAR B. C. A. (SEM. 3)		
Name of the Subject :		
OBJECT ORIENTED PROGRAMMING		
Subject Code No.: 3 7 3 4 Section No. (1.2,): Nil Student's Signature		
(2) All (questions are compulsory.	
(3) Figu	res to the right indicate full marks.	
		10
(1)	Explain copy constructor.	
(2)	Differentiate between seekp() and seekg().	
	Define static data member and function.	
	What is the advantage of new over malloc?	
	What is manipulators?	
(6)	What is the use of 'protected' modifier?	
(7)	Explain different method to open a file.	
(8)	What is the use of SHOWPOINTFLAG?	
(9)	What is the use of 'this' pointer?	
(10)	What is containership?	
_ //		
/\\		15
(a)	What is inheritance? What is multiple and multilevel	8
	inheritance? Explain with example.	
(b)\/	What is constructor? How do we call a constructor?	7
OR		
2 (a)	What is object oriented programming? How it is differ	8
))	from procedure oriented programming?	
(b)	What is containership? How it is differ from	7
	inheritance? Explain with example.	

1

[Contd...

- 15 3 Answer the following: (any two) (a) What is visibility modifier? List them. Differentiate with proper example. What is file mode? Explain various file modes. **(b)** What is overloading of an operator? When it is (c) necessary to overload an operator? Do as directed: Why do we have to make the function as 'friend'? (a) Write the advantages of friend function. Explain the difference between overloading and (a) overriding. Explain inline function with example. **(b)** What do you mean by default argument? When it is (c) useful? Answer the following: (any two) 5 15 (a) Create a class with at least two data members and overload <<and>> oeprator. (b) Write down the syntax for user defined manipulators.
 - (i) 8 column width

format.

- (ii) 3 digit precision
- (iii) flight justified
- (iv) Filling unused spaces with '+'
- c) Create a base class media, declare two data members title and price. Derive two class tape and book from media. Declare virtual function on display in base class media and display details of both books (title, price, page) and tape (title, price, play time) details.

Design a single manipulator to provide the following output specification to print float values in following